



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

April 25, 2016

Florida Power & Light Company, Inc.
c/o J.E. Leon, Registered Agent
4200 West Flagler Street
Suite 2113
Miami, Florida 33134

Certified US Mail Return Receipt
#7013 2630 0001 2651 6081

Re: Warning Letter #WL16-00015IW13SED
Turkey Point Power Plant
Facility ID No.: FL0001562
Miami-Dade County

Dear Sir:


The Department is in receipt of a March 2016 "Report on Recent Biscayne Bay Water Quality Observations associated with Florida Power and Light Turkey Point Cooling Canal System Operations" (Report). The Report indicates recent sampling events "provide compelling evidence that water originating from the Cooling Canal System is reaching these tidal surface waters connected to Biscayne Bay." Information in the Report indicates possible violations of chapter 403, Florida Statutes, and chapters 62-302 and 62-520, Florida Administrative Code.

Violations of Florida Statutes or administrative rules may result in liability for damages and restoration, and the judicial imposition of civil penalties, pursuant to section 403.161, Florida Statutes.

Please contact Elsa Potts, at (850) 245-8665, within **15 days** of receipt of this Warning Letter to arrange a meeting to discuss this matter. The Department is interested in receiving any facts you may have that will assist in determining whether any violations have occurred. You may bring anyone with you to the meeting that you feel could help resolve this matter.

Please be advised that this Warning Letter is part of an agency investigation, preliminary to agency action in accordance with section 120.57(5), Florida Statutes. We look forward to your cooperation in completing the investigation and resolving this matter.

Sincerely,


A handwritten signature in blue ink, appearing to read 'F. Aschauer, Jr.', with a long horizontal flourish extending to the right.

Frederick L. Aschauer, Jr., Director
Water Resource Management
Florida Department of Environmental Protection

cc: Elsa Potts, DEP

PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

CERTIFIED MAIL™



7013 2630 0001 2651 6081
7013 2630 0001 2651 6081

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Sent To	Florida Power & Light Company, Inc.
Street, Apt. No., or PO Box No.	c/o J.E. Leon, Registered Agent
City, State, ZIP+4	4200 West Flagler Street, Suite 2113 Miami, FL 33134

PS Form 3800, August 2006

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Florida Power & Light Company, Inc.
c/o J.E. Leon, Registered Agent
4200 West Flagler Street, Suite 2113
Miami, FL 33134

2. Article Number
(Transfer from service label)

7013 2630 0001 2651 6081

PS Form 3811, February 2004

COMPLETE THIS SECTION ON DELIVERY

A. Signature ☒ Agent
☒ Addressee

B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type
☒ Certified Mail ☐ Express Mail
☐ Registered ☒ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

Domestic Return Receipt 4/25/10 Ltr.-FPL ABM 10095-02-M-1540